




WISHH Update

World Soybean Research Conference

Durban, February 2013

The Potential Appetite for Protein* (2007-2030)



Source: Globalfoodin3d.com

*Included Proteins: Pork, Poultry, Beef, Sheep, Goat, Milk, Cheese, Butter, Fresh Water Fish, Salt Water Fish, Crustaceans

Current state of affairs:

SEVERITY OF MALNUTRITION: % STUNTED CHILDREN <5 YEARS OF AGE


This map was produced by the Map Design Unit of The World Bank. The boundaries, colors, denominations and any other information shown on this map do not imply, on the part of The World Bank Group, any judgment on the legal status of any territory, or any endorsement or acceptance of such boundaries.

Data source: WHO Global Database on Child Growth and Malnutrition.

PREVALENCE OF STUNTING IN CHILDREN LESS THAN 5 YEARS OF AGE:

- VERY HIGH ($\geq 40\%$)
- HIGH (30-39%)
- MEDIUM (20-29%)
- LOW ($< 20\%$)
- NO DATA

INTERNATIONAL BOUNDARIES



WISHH Programs in Africa: Uganda, Liberia, Ghana, SATH



SESACO Production and marketing



Wheat and soy, noodles and bread



Cameroun

Senegal



Liberia: super gari



USAID Food for Peace - OICI
cassava flour fortified w/US soy flour
Food for work and school feeding
Nutrition monitoring



If you believe, belong.

Ghana: Vita Goat



ADRA GHANA
VALLEY VIEW U,
TECHIMAN
SCHOOL FEEDING



Southern Africa Trade Hub (SATH)

- Feed Miller training short course at KSU
- Technical outreach to regional food companies
- Creation of soy dairy SME in RSA
- Support and development for Soy Southern Africa (SSA)
- Alliance partners: Sunopta, Solae, Malnutrition Matters





Thank
You!



Association.

If you believe, belong.